

1259.5 Sq. Ft.


## Legend and Notes:

- 1) 8' 6" Ceilings: Hall Bathroom, Top of Stair Hall, Walk In closet, Partial Master Bathroom (Rest of ceilings are vaulted to roof).

- 2) Ceiling Framing: 2x4 S.P.F. #2 @ 16" O.C.
  3) All Interior Lintels to be 2-Ply 2x4 S.P.F. #2
  4) Support South End of SL11 on Side of P2 with Simpson HUSC46 Face Mount Hanger (Concealed Flanges)

	Indicates Wall Type, Refer to Schedule
L-	Indicates Lintel Type, Refer to Schedule

P- Indicates Post Type, Refer to Schedule
B- Indicates Beam, Refer to Schedule



Issued For Building Permit App.

March 24, 2014

Roof/Attic Wood Lintel Schedule					
#	Size	Notes	Length		
SL1	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 2 King 2x4 Studs Each End	2' 9"		
SL2	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 2 King 2x4 Studs Each End	4' 9"		
SL3	2 Ply - 1-3/4" x 7-1/4" 1.9E LVL	1 Jack 2 King 2x4 Studs Each End	5' 9"		
SL4	3-1/2" x 9-1/4" PSL 2.2E	2 Jack 2x4, 3-1/2" x 3-1/2" 1.8E PSL King Each End	10' 3"		
SL5	2 Ply - 1-3/4" x 7-1/4" LVL 1.9E	1 Jack 2x4, 3-1/2" x 5-1/4" 1.8E PSL King Each End	11'1"		
SL6	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 3 King 2x6 Studs Each End	6' 0"		
SL7	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 2x4, 3-1/2" x 3-1/2" 1.8E PSL King Each End	5' 6"		
SL8	2 Ply - 1-3/4" x 7-1/4" LVL 1.9E	1 Jack 2 King 2x4 Studs Each End	5' 8"		
SL9	2 Ply - 1-3/4" x 7-1/4" LVL 1.9E	1 Jack 2 King 2x4 Studs Each End	5' 8"		
SL10	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 2 King 2x6 Studs Each End	4' 9"		
SL11	3-1/2" x 5-1/4" PSL 1.8E	1 Jack 3 King 2x6 Studs (Required North End Only)	7' 0"		

	Roof Beam Schedule				
#	Size	Order Length			
SB1	5-1/4" x 19" PSL 2.0E Continuous	27' 2"			
Post Schedule					
P1 3-Ply 2x6 S-P-F No. 2 Post					
P2 4-Ply 2x6 S-P-F No. 2 Post					
P3 HSS 3-1/2" x 3-1/2" x 1/4" 2 Storey Continuous					
Exterior Wall Schedule					
Type	Framing Members				
W1 2x6 Wood Studs @ 16" O.C.					
W2 2x4 Wood Studs @ 16" O.C.					



718-333 Brooksbank Ave Room 237 North Vancouver, BC V7J 3V8 Tel: 778-688-5807



	Scale:	1/4" = 1'
	Date:	March 24, 2014
	Drawn By:	SW